UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/697,281	10/31/2003	Kazuo Okada	SHO-0055	8441
	7590 08/19/200 <b>IAN &amp; GRAUER PL</b> I	EXAMINER		
LION BUILDING			RENDON, CHRISTIAN E	
1233 20TH STREET N.W., SUITE 501 WASHINGTON, DC 20036			ART UNIT	PAPER NUMBER
			3714	
			MAIL DATE	DELIVERY MODE
			08/19/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/697,281	OKADA, KAZUO	
Office Action Summary	Examiner	Art Unit	
	CHRISTIAN E. RENDÓN	3714	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 23 J      This action is <b>FINAL</b> . 2b)☑ This      Since this application is in condition for allowated closed in accordance with the practice under the condition of the condition.	s action is non-final. ance except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 5,7,9,10,16 and 38-41 is/are pending 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 5,7,9,10,16 and 38-41 is/are rejected 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers	awn from consideration.		
9) The specification is objected to by the Examina  10) The drawing(s) filed on is/are: a) accomposed as a composition and a composition and a composition to the separatement drawing sheet(s) including the correct and the specific action are considered.  11) The oath or declaration is objected to by the Examination.	cepted or b) objected to by the lead rawing(s) be held in abeyance. Section is required if the drawing(s) is objection	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:      1. ☐ Certified copies of the priority documen 2. ☐ Certified copies of the priority documen 3. ☐ Copies of the certified copies of the priority documen application from the International Burea * See the attached detailed Office action for a list	nts have been received. Its have been received in Applicationity documents have been received au (PCT Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 4/22/09.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate	

Art Unit: 3714

### **DETAILED ACTION**

# Response to Amendment

This office action is in response to the amendment filed 6/23/09 in which applicant has amended claims 5, 10, 16; added new claims 38-41; responded to claim rejections. Claims 5, 10, 16, 38-41 are still pending.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

# Claims 5, 10, 16 & 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uchida (US 6,343,161) in view of Ahuja (US 6,157,529).

- 1. Uchida discloses an image processor **140** that receives image data for various type of processing jobs such as gradation conversion, color conversion, hyper tone and sharpness processing (Uchida: col. 7, lines 24-30). The tasks are performed by an image processor constructed in software/emulator (Uchida: fig. 2, 136B) or as hardware (Uchida: fig. 2, 136A) containing of three dedicated frame memory modules **142** (Uchida: fig. 4). The hardware image processor **140** checks its legitimacy by comparing a processed image with the original image (Uchida: fig. 6, 208-210) and switches to the emulated processor when a difference in the images occurs (Uchida: col. 9, lines 37-41) or turns off the frame memory module that is performing abnormally (Uchida: col. 13, lines 25-35). Once an image processing job is completed by the available resources working within normal parameters, an image is displayed on a display screen (Uchida: col. 1, lines 25-27).
- 2. Regarding claims 5, 10 and 16, the reference discloses a **display device** (Uchida: col. 1, lines 25-27) and its **control device** as a personal computer (PC) (Uchida: col. 1, lines 31-35). The figures disclosing the program flow of the prior art teach the use of an **image control** and **state keeping device for monitoring a signal of an image** (Uchida: fig. 6-9) **fed from the display control device** or PC (Uchida: col. 10, lines 44-50). The detection of a normal image is the result of an image processor (Uchida: fig. 6, 214) or at least one of the memory modules (Uchida: fig. 8, 208, 214, 220) is working within normal parameters; thus the **detection of a signal in a normal state renders a normal image on the display** (Uchida: col. 1, lines 25-27). Furthermore,

Art Unit: 3714

the detection of an abnormal image is the result of a processor or memory module producing an image that fails a comparison check (Uchida: abstract); thus the abnormal image is different from the normal image. Hence the system prevents the displaying of an abnormal image since the image processing is performed through working components only (Uchida: fig. 8b, 220, 214, 224) resulting in the displaying of a normal image even if an abnormal image is detected. The purpose of the processed images are left open by the prior art; thus an ordinary skill artisan would recognize the use of this invention in any system displaying digital images in conjunction with an error correcting mechanism, such as a digital slot machine game. Furthermore the prior art mentions the use of a PC (Uchida: col. 1, lines 34-35) and display device (Uchida: col. 1, lines 25-27) in performing the disclosed operations. It is well known in the art of computing that a normal setup for a PC and display is to connect both devices to a power strip or surge protector to provide multiple devices protection from voltage spikes and access to a single wall jack or **power source feeding device**. Furthermore this computer setup allows an operating power source feeding device (surge protector) to service an image control device (PC) and image state keeping device (memory) when a display device fails to allow the flow of electricity. Thus an ordinary artisan would recognize the basic computer setup consisting of a **power source** relay device (surge protector) connected to a power source feeding device (the electrical system of a facility) to independently supply power to an image control device (PC) and a display device. In case the applicant disagrees with the capabilities of a surge protector, please refer to the Ahuja reference. This prior art teaches a surge protector containing an electromechanical relay (Ahuja: col. 3, lines 48-49) for the purpose of protecting electric devices from power surges (Ahuja: col. 3, lines 21-27). Thus the surge protector provides multi-line environment and current protection between a device and ground (Ahuja: col. 5, lines 29-33).

3. Regarding claim 38, the prior art discloses a module labeled "image compression/expansion section" (Uchida: fig. 2, 158). Thus Examiner views the art teaching an image processor performing an image expansion or **enlarging conversion** as one of the many processing tasks capable by the image processor (Uchida: col. 7, lines 24-30).

Art Unit: 3714

Claims 7, 9 & 39-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Loose et al. (US 6,517,433 B2) in view of Uchida and Ahuja.

- 4. The above description of the invention or prior art combination discussed above is considered within this art rejection as well. The prior arts are silent towards the use of rotating reels containing symbols. Loose discloses a slot machine comprising of multiple spinning reels & a video display (Loose: abstract). "The video display provides a video image superimposed on the reels" (Loose: col. 1, lines 46-47), therefore the display is in front of the reels (Loose: fig. 2a, 14a). The video image complements the reel symbols by interacting with the reels with graphics, special effects, thematic scenery, and instructional information (Loose: col. 1, lines 48-50). The appearance of a video image is adjustable in terms of transparency, translucency, or opacity depending on the purpose of the image (Loose: col. 5, lines 24-27). In other words, the superimposed image highlights the winning combination and its associated pay line by providing an effect that flashes or illuminates the pay line or a portion of the reel (Loose: col. 4, lines 4-10). The purpose of a slot machine is to generate revenue for an establishment thus a machine that works properly is critical. However when an error happens to occur, errorcorrecting algorithms prevent any down time which results in a loss of revenue. Therefore it would have been obvious to an ordinary artisan to include the teachings of Uchida and/or Ahuja in an attempt to prevent the misrepresentation of a game state and any down time. Since both prior art teach a system self correcting itself in error generating situations.
- 5. Regarding claims 7, 39-41, the prior art discloses a display capable of showing a **color** (Loose: col. 5, lines 31-34) and **transparent image** (Loose: col. 5, lines 24-27) **in front of a rotating reel** (Loose: fig. 2a). In other words, the art teaches displaying a **relative high transparency of the image that is sufficient to enable a player to see through the image and see the reel symbols (Loose: fig. 4-6, 9c, 10c). Thus the art combination contains a <b>transparent image display** and an **image control device that detects abnormal images** (Uchida: fig. 6-9).

Art Unit: 3714

6. Regarding claim 9, the prior art combination remains silent towards building an **image control device**into an upper portion. However the Examiner considers building the control device into the upper and not lower portion of a gaming machine mere design choice. Since a specific problem is not solved by restricting the control device into the upper portion.

### Response to Arguments

Applicant's arguments filed 6/23/09 have been fully considered but they are not persuasive. The Examiner disagrees with the applicant's arguments that the art combination fails to teach all of the limitations. As stated above, a surge protector is used to connect at least a display and a computer in an office to one wall jack. Thus providing separate electrical paths to the same power source (Ahuja: col. 5, lines 29-33).

#### Examiner's Note

Applicant is duly reminded that a complete response must satisfy the requirements of 37 C.F. R. 1.111, including: "The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. A general allegation that the claims "define a patentable invention" without specifically pointing out how the language of the claims is patentably distinguishes them from the references does not comply with the requirements of this section. Moreover, "The prompt development of a clear Issue requires that the replies of the applicant meet the objections to and rejections of the claims." Applicant should also specifically point out the support for any amendments made to the disclosure. See MPEP 2163.06 II(A), MPEP 2163.06 and MPEP 714.02. The "disclosure" includes the claims, the specification and the drawings.

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTIAN E. RENDÓN whose telephone number is (571)272-3117. The examiner can normally be reached on 9 - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dimtry Suhol can be reached on 571-272-4430. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dmitry Suhol/ Supervisory Patent Examiner, Art Unit 3714 /CHRISTIAN E RENDÓN/ Examiner Art Unit 3714 CER